

## SIDE BRASIL FILTER



- Side mounted filter with clamp band lid fixing.
- Antracita grey color
- 6 way valve.
- Blow moulded HPD E.
- Max working pressure 2kg/cm2.




## TECHNIQUE CHARACTERISTICS

| Código<br>Code   | Filtro Brasil<br>Brasil Filter |         |         |
|--|--------------------------------|---------|---------|
|  | FBS0400                        | FBS0500 | FBS0600 |
| Ø (mm)   | 400                            | 500     | 600     |
| Velocidad de Filtración (m3/h/m2)<br>Filtration Rate (m3/h/m2) | 50                             | 50      | 50      |
| Caudal (m <sup>3</sup> /h)<br>Flow (m <sup>3</sup> /h)         | 6                              | 10      | 14      |
| Carga arena (0,5-0,7mm) (kg)<br>Sand (0,5-0,7mm) (kg)          | 50                             | 100     | 200     |
| Carga Zelbrite (kg)<br>Zelbrite (kg)                           | 30                             | 60      | 120     |
| Presión servicio (kg)<br>Working pressure (bar)                | 2Kg                            |         |         |


# FILTRO SOPLADO BRASIL LATERAL SIDE BRASIL FILTER

## ▼ Embalaje / Packaging

|                                      | FBT0400            | FBT0500            | FBT0600            |
|--------------------------------------|--------------------|--------------------|--------------------|
| Caja (mm):<br>Box (mm):              | 440 x 440 x 710    | 570 x 570 x 830    | 670 x 670 x 950    |
| Unidades / Cajas:<br>Units / Boxes:  | 1                  | 1                  | 1                  |
| Palet (mm):<br>Pallet (mm):          | 1200 x 1000 x 1610 | 1200 x 1000 x 1830 | 1200 x 1000 x 2050 |
| Unidades / Palet:<br>Units / Pallet: |                    | 4                  | 4                  |



## ▼ Dimensiones / Dimensions



|        | FBS0400 | FBS0500 | FBS0600 |
|--------|---------|---------|---------|
| Ø (mm) | 400     | 500     | 600     |
| H      | 610     | 700     | 800     |
| N      | 235     | 240     | 290     |
| M      | 360     | 365     | 415     |
| A      | 340     | 430     | 430     |

## BRASIL FILTER



### TOP BRASIL FILTER

- Top mounted filter with clamp band fixing.
- Antracita grey color.
- 6 way valve.
- Blow moulded HPD E.
- Max working pressure 2kg/cm2.


### TECHNIQUE CHARACTERISTICS

| Filtro Brasil<br>Brasil Filter |         |         |         |
|--------------------------------|---------|---------|---------|
| Code                           | FBT0400 | FBT0500 | FBT0600 |
| Ø (mm)                         | 400     | 500     | 600     |
| Filtration Rate (m3/h/m2)      | 50      | 50      | 50      |
| Flow (m <sup>3</sup> /h)       | 6       | 10      | 14      |
| Sand (0,5-0,7mm) (kg)          | 50      | 100     | 200     |
| Zelbrite (kg)                  | 30      | 60      | 120     |
| Working pressure (bar)         | 2Kg     |         |         |


# TOP BRASIL FILTER

## ▼ Packaging

|   | FBT0400           | FBT0500            | FBT0600            |
|---|-------------------|--------------------|--------------------|
| <b>Caja (mm):</b><br>Box (mm):              | 435 x 435 x 950   | 570 x 570 x 1080   | 670 x 670 x 1170   |
| <b>Unidades / Cajas:</b><br>Units / Boxes:  | 1                 | 1                  | 1                  |
| <b>Palet (mm):</b><br>Pallet (mm):          | 800 x 1200 x 2050 | 1000 x 1200 x 2310 | 1200 x 1200 x 2490 |
| <b>Unidades / Palet:</b><br>Units / Pallet: | 4                 | 4                  | 4                  |



## ▼ Dimensiones / Dimensions



|        | FBT0400 | FBT0500 | FBT0600 |
|--------|---------|---------|---------|
| Ø (mm) | 400     | 500     | 600     |
| H      | 825     | 915     | 1015    |
| N      | 595     | 690     | 790     |
| M      | 660     | 750     | 850     |
| A      | 340     | 430     | 430     |